SIGMA-ALDRICH

Material Safety Data Sheet

Version 3.0 Revision Date 12/28/2008 Print Date 04/09/2010

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 3-Mercaptopropionic acid

Product Number : 63770 Brand : Fluka

Company : Sigma-Aldrich Canada, Ltd

2149 Winston Park Drive OAKVILLE ON L6H 6J8

CANADA

Telephone : +19058299500 Fax : +19058299292 Emergency Phone # : 800-424-9300

2. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C3H6O2S Molecular Weight : 106.14 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
3-Mercaptopropi	onic acid		
107-96-0	203-537-0	-	-

3. HAZARDS IDENTIFICATION

Emergency Overview

Other hazards which do not result in classification

Stench.

WHMIS Classification

D1B Toxic Material Causing Immediate and Toxic by ingestion

E Serious Toxic Effects Corrosive

HMIS Classification

Health Hazard: 3 Flammability: 1 Physical hazards: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the

mucous membranes and upper respiratory tract.

Skin May be harmful if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.

Ingestion Toxic if swallowed. Causes burns.

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Flammable properties

Flash point 93.4 °C (200.1 °F) - closed cup

Ignition temperature 350 °C (662 °F)

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods for cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Avoid inhalation of vapour or mist.

Normal measures for preventive fire protection.

Storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form clear, liquid
Colour colourless
Odour Stench.
unpleasant

Safety data

pH no data available

Melting point 17 - 19 °C (63 - 66 °F)

Boiling point 110 - 111 °C (230 - 232 °F) at 20 hPa (15 mmHg)

Flash point 93.4 °C (200.1 °F) - closed cup

Ignition temperature 350 °C (662 °F)

Lower explosion limit 1.6 %(V)

Density 1.220 g/cm3

Water solubility no data available

10. STABILITY AND REACTIVITY

Storage stability

Stable under recommended storage conditions.

Materials to avoid

Bases, Oxidizing agents, Reducing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 96 mg/kg

Irritation and corrosion

no data available

Sensitisation

no data available

Chronic exposure

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

Signs and Symptoms of Exposure

Cough, Shortness of breath, Headache, Nausea, Vomiting

Potential Health Effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the

mucous membranes and upper respiratory tract.

Skin May be harmful if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.

Ingestion Toxic if swallowed. Causes burns.

Additional Information RTECS: UF5270000

12. ECOLOGICAL INFORMATION

Elimination information (persistence and degradability)

no data available

Ecotoxicity effects

no data available

Further information on ecology

no data available

13. DISPOSAL CONSIDERATIONS

Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 2922 Class: 8 (6.1) Packing group: II

Proper shipping name: Corrosive liquids, toxic, n.o.s. (3-Mercaptopropionic acid)

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN-Number: 2922 Class: 8 (6.1) Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (3-Mercaptopropionic acid)

Marine pollutant: No

IATA

UN-Number: 2922 Class: 8 (6.1) Packing group: II

Proper shipping name: Corrosive liquid, toxic n.o.s. (3-Mercaptopropionic acid)

15. REGULATORY INFORMATION

DSL Status

All components of this product are on the Canadian DSL list.

WHMIS Classification

D1B Toxic Material Causing Immediate and Toxic by ingestion

E Serious Toxic Effects Corrosive

16. OTHER INFORMATION

Further information

Copyright 2008 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.